

CLAIMS

I claim:

- 5 1. A method for retrieving images for display on an
output device, said method comprising:
 retrieving a bitmap from a cache, when the
 bitmap generates a match with an image selected for
 display on said output device; and
10 storing in the cache a bitmap representing the
 selected image, if the selected image does not
 generate a match with any bitmap stored on the
 cache.
- 15 2. The method of Claim 1, wherein:
 the image selected for display comprises a
 character associated with a font set.
- 20 3. The method of Claim 1, wherein said storing
further comprises:
 assigning a unique identifier to a bitmap
 stored in the cache.
- 25 4. The method of Claim 3, wherein said method
further comprises:
 including the unique identifier of a bitmap
 stored in the cache in a file sent to an output
 device.
- 30 5. The method of Claim 4 wherein said method
further comprises:
 retrieving from the cache the bitmap
 corresponding to the unique identifier in response
 to a request to display said file on said output
35 device.
6. The method of Claim 1 wherein:

the cache comprises a linked list data structure having length elements.

5 7. The method of Claim 6, wherein
a length element of the linked list data structure is associated with a unique length value and the elements of the linked list data structure are organized in order of increasing length values.

10 8. The method of Claim 6 wherein storing a bitmap in the cache further comprises:
associating the bitmap with the length element of the linked list data structure corresponding to a length value of the bitmap.

15 9. The method of Claim 8, wherein associating the bitmap with the length element corresponding to the length value of the bitmap further comprises:

20 associating the bitmap with a width element corresponding to a width value of the bitmap, wherein the width element is associated with the length element corresponding to the length value of the bitmap.

25 10. The method of Claim 1, wherein
the output device comprises a printer.

30 11. A computer program product comprising computer program code for a method for retrieving images for display on an output device, said method comprising:

retrieving a bitmap from a cache, when the bitmap generates a match with an image selected for display on said output device; and

35 storing in the cache a bitmap representing the selected image if the selected image does not generate a match with any bitmap stored in the cache.

12. The computer program product of Claim 11,
wherein

5 the image selected for display comprises a
character associated with a font set.

13. The computer program product of Claim 11,
wherein said storing further comprises:

10 assigning a unique identifier to a bitmap
stored in the cache.

14. The computer program product of Claim 13,
wherein said method further comprises:

15 including the unique identifier of a bitmap
stored in the cache in a file sent to an output
device.

15. The computer program product of Claim 14,
wherein said method further comprises:

20 retrieving from the cache the bitmap
corresponding to the unique identifier in response
to a request to display said file on said output
device.

16. The computer program product of Claim 11,
wherein:

the cache comprises a linked list data
structure having length elements.

17. The computer program product of Claim 16,
wherein:

30 a length element of the linked list data
structure is associated with a unique length value
and the elements of the linked list data structure
35 are organized in order of increasing length values.

18. The computer program product of Claim 17 wherein said storing a bitmap in the cache further comprises:

5 associating the bitmap with the length element of the linked list data structure corresponding to a length value of the bitmap.

19. The computer program product of Claim 11, wherein said associating the bitmap with the length element corresponding to the length value of the bitmap further comprises:

15 associating the bitmap with a width element corresponding to a width value of the bitmap, wherein the width element is associated with the length element corresponding to the length value of the bitmap.

20. The computer program product of Claim 11, wherein the output device comprises a printer.

21. An apparatus comprising:
a processor; and

25 a memory coupled to said processor, and storing a method of retrieving images for display on an output device wherein upon execution of said method on said processor, said method comprises:

30 retrieving a bitmap from a cache, wherein the bitmap generates a match with an image selected for display on said output device; and storing in the cache a bitmap representing the selected image, if the selected image does not match with any bitmap stored on the cache.

35 22. The apparatus of claim 21, wherein:
the image selected for display comprises a character associated with a font set.

23. An output file format, comprising:
- a cache section including at least one bitmap associated with a unique identifier; and
 - a data section including a plurality of occurrences of at least one unique identifier associated with the at least one bitmap in the cache section, wherein each occurrence of a unique identifier is associated with a specified position, and for each occurrence of a unique identifier in the data section, an image represented by the bitmap associated with the unique identifier is displayed on an output device in the specified position.

5

10

03/06/93 04:59